



## 8000kg Used Crawler Excavator 80E Sunward Backhoe Excavating Machinery

### Our Product Introduction

#### Basic Information

- Place of Origin: China
- Brand Name: SUNWARD
- Model Number: 80E
- Minimum Order Quantity: 1 Set
- Price: USD15000-19000/Set
- Packaging Details: Container Or Bulk
- Delivery Time: 5-8 work days
- Payment Terms: T/T, L/C, D/A, D/P, Western Union, MoneyGram
- Supply Ability: 100 units per month



#### Product Specification

- Brand Of Machine: SUNWARD
- Model Name: SUNWARD 80E
- Rated Power: 46.3/2200 KW/rpm
- Engine: YANMAR 4TNV98-VSU
- Machine Weight: 8000kg
- Max Rate Of Main Pump: 156L/min
- Fuel Tank: 118L
- Hydraulic Oil Tank: 105L
- Total Length Of The Track: 2784mm
- Track Shoe Width: 450mm
- Total Width Of The Crawler Track: 2150mm
- Rear End Turning Radius: 1680mm
- Highlight: 8000kg Used Crawler Excavator,  
Excavating Used Crawler Excavator,  
80E sunward backhoe

## Product Description

### 450mm Track Width SUNWARD 80E 8000kg Used Crawler Excavator

#### PRODUCT DESCRIPTION

Sunward Intelligent's products cover more than 160 models and specifications in more than ten fields, including large piling machinery, small construction machinery, medium and large excavating machinery, modern rock drilling equipment, industrial vehicles, coal mining equipment, and hydraulic components. The products firmly rank among the first-tier domestic brands and are sold in batches to more than 50 countries and regions around the world.

#### GALLERY









## PRODUCT DETAILS

Xuanjue serves you, operates with integrity and serves with heart

Track shoe width: 450mm;  
The total width of the crawler track :2150mm;  
Minimum ground clearance :340mm;  
Counterweight ground clearance :745mm;  
The minimum turning radius of the front working device: 2390mm;  
Rear end turning radius :1680mm  
The maximum digging radius:6955mm;  
The maximum excavation radius of the parking surface : 6830mm;  
The maximum digging depth :4285mm;  
The maximum digging height : 6730mm;  
Maximum unloading height :4775mm;  
The maximum vertical excavation depth: 3565mm;  
Bulldozing board width × height :2160 × 449mm;  
Dozer blade lift or push depth :420/480mm

## PACKING AND SHIPPING

1. Bulk carrier: Suitable for larger construction equipment without disassembly.
2. Container: The cheapest and fastest way is to put the machine into the container that needs to be disassembled.





### F & Q

**Xuanjue Serve For You, Best Quality And Lowest Price**

**Q1.** What payment method?

Payment is negotiable

**Q2.** Will our company provide any service to the machine?

Yes! Before we deliver the machine, we will test, check, service, maintenance and clean it the machine.

**Q3.** What's the MOQ ?

MOQ is 1set. FOB or others can be negotiated.

**Q4.** What's the payment terms?

FOB or others can be negotiated.

**Q5.** Who pays the freight?

This is determined based on the payment method. We can either find a freight forwarder or the customer can designate a freight forwarder.

If you have any questions, you can call and send an email at any time and leave a message. We will answer you as soon as possible after seeing it.



**Hefei Xuanjue Construction Machinery Co., Ltd.**



13385604601



[used-excavatormachine.com](http://used-excavatormachine.com)

Sanshitou, Xinzhan District, Feidong County, Hefei City, Anhui Province, China